PARIO

diaper sealer™



INSTRUCTION MANUAL

Model DS-20A

© 2026 Pario, LLC. All rights reserved.

IMPORTANT!

PLEASE KEEP MANUAL FOR FUTURE USE.

Please read all instructions before use.

Instruction manual available in additional languages at:

Manuel disponible en français sur:

Manual disponible en español en:

www.diapersealer.com

WELCOME

Powered by the Advanced Capsure™ Sealing System, Pario DiaperSealer™ seals odors inside proprietary OdorSealer Film™—one diaper at a time or multiple diapers together. No twisting. No tying. No mess.

WARNING:

- Indoor household use only.
- Do not immerse the unit, power adapter, or cord in water.
- Do not operate if the unit or power cord is damaged.
- No user-serviceable parts.
- Keep hands, hair, and clothing away from the seal/cut area.
- Do not insert fingers or objects into the seal/cut mechanism.
- Keep children away during operation.
- Do not place items on top of the Pario DiaperSealer™.

SUFFOCATION HAZARD:

- Plastic film can cause suffocation.
- Keep OdorSealer Film™ away from babies and children.

CAUTION:

- **Use only Pario DiaperSealer™ Refill cartridges for proper operation.**
- **Using other refills may cause malfunction, may void the warranty and could result in a damaged unit.**
- Do not place sharp objects, liquids, food, or non-diaper waste into the unit.
- Do not force the lid or bin drawer.

HELPFUL HINTS:

BEFORE YOU BEGIN:

- Place the unit on a flat, stable surface near a power outlet.
- Route the power cord so it is not pinched, pulled, or hanging where it cannot be snagged.
- Make sure the front bin drawer is fully closed.
- Wait until the READY light is solid GREEN before first use.

CARE INSTRUCTIONS:

- Unplug the unit before cleaning.
- Wipe the exterior with a soft, damp cloth.
- Do not immerse the unit in water.
- Do not use abrasive cleaners.
- Keep the seal area free of debris.

Dispose of the unit and electronic components in accordance to local regulations. Do not dispose of the unit in fire.

This product complies with applicable safety and regulatory requirements.

CERTIFICATIONS:

ETL Listed (Intertek)
FCC Part 15 Compliant
RoHS Compliant

Final certification marks can be found on the product and packaging.

GET TO KNOW YOUR PARIO DIAPERSEALER™

WHAT'S IN THE BOX

- Pario DiaperSealer™ Unit
- Power Adapter
- Pario DiaperSealer™ Cartridge
- Instruction Manual

1. Main Button
2. Light Button
3. Hands-Free Sensor
4. Status Light (Operational & Features)
5. Interior Seal Line & Light 

6. Built-in Nightlight
7. Cartridge Compartment
8. Front Bin Drawer Access
9. Power Inlet
10. Power Cord Storage
11. Pario DiaperSealer™ Cartridge


diaper sealer refill
11
7
TOP VIEW : CONTROL PANEL
1
2
3
4
INSIDE UNIT
5
6
PARIO
8
BACK OF UNIT
9
BOTTOM OF UNIT
10

CONTROL PANEL : BUTTONS & LIGHTS

This diagram of the control panel shows everything you need to operate and understand the unit.

CONTROL PANEL : CLOSE UP




TABLE 1 is a reference guide for the light indicators you should expect to see during the products operational states.

TABLE 1: OPERATIONAL STATES

LIGHT BEHAVIOR	UNIT STATUS
SOLID GREEN	READY
GREEN PULSE	IN USE
WHITE PULSE	RESETTING
SOLID RED	BIN/LID OPEN
RED BLINKING	JAM/ERROR DETECTED


TABLE 2 is a reference guide for the light indicators you should expect to see during the user-controlled feature settings.

Please refer to the detailed instructions in the manual for full explanations of the button and light sequences.

TABLE 2: FEATURE STATES

LIGHT BEHAVIOR	UNIT STATUS
SOLID ORANGE	CHILD-LOCK ON
ORANGE DOUBLE BLINK	CHILD LOCK ACTIVE Button pressed while child locked
BLUE DOUBLE BLINK	MANUAL MODE ACTIVE Wave detected in mode


FEATURE : CHILD LOCK MODE



ON - Press together and hold for 4 seconds.

CHILD LOCK MODE ON


To activate Child Lock Mode, press and hold the Main Button and Light Button + together for **4 seconds.** The solid orange light indicates Child Lock Mode is ON.



Solid Orange light indicates Child Lock Mode ON.

WHEN CHILD LOCK IS ON:

- Lid will not open.
- Main Button will not operate.
- Light Button will not operate.




OFF - Press together and hold for 4 seconds.

If you press a button while in Child Lock Mode, the orange light will double blink to indicate the buttons are inactive.

To turn Child Lock OFF repeat activation step.

PLEASE NOTE: The front bin drawer is NOT locked in this mode.

FEATURE : BUILT IN NIGHT LIGHT



Press Light Button.



TURN ON / OFF:

Press the Light Button once.

ADJUST BRIGHTNESS:

- Press and hold the Light Button to cycle through four brightness levels.
- Release at your desired setting.
- The unit remembers the last brightness used.

DAILY USE : HANDS-FREE OPERATION




Push diaper below
Seal Line Light seen here.



Correct diaper placement.



INCORRECT placement.



Press Main Button to
SEAL + CUT.

1. OPEN: AUTOMATIC LID OPERATION
When the light is solid green, wave your hand over the motion sensor to open the lid.

2. LOAD: Insert the folded, wrapped soiled diaper (wipes included) down into the film section through the middle of the unit.

- Push the diaper fully below the LED Seal Line & Light. *Make sure no tabs, wipes, or loose material extend above the LED Light.* SEAL LINE
- If items extend above the LED light inside the film, the diapers may not seal properly.
- Once loaded, remove hand. **DO NOT push the lid down by hand.** This will prevent the next button press from starting SEAL + CUT.


3. SEAL + CUT: Once you've loaded one or multiple folded diapers into the film section, press the Main Button once. The lid will close and begin the SEAL + CUT process.

A pulsing green light indicates the unit is in use. Once sealed and cut, the bag will drop into the bin.

When complete, the unit resets indicated by a pulsing white light . **Do not open the lid or bin while lights are pulsing.** A solid green light indicates the unit is ready for the next diaper change.

TIP: Save film + time! Keep adding pee-only diapers throughout the day without sealing after each change. The lid automatically closes after 30 seconds if the Main Button is not pressed, but will NOT seal or cut.
See "Flexible Seal + Cut Options" (page 8).


DAILY USE : MANUAL OPERATION



Press and hold Main Button for 4 seconds.

SWITCHING MANUAL MODE ON / OFF:
To switch the unit from Hands-Free to Manual Mode press and hold the Main Button for **4 seconds.** To switch back repeat step.

Once activated, if you try to wave the lid open a blue light will blink twice to indicate you are in Manual Mode.



Press Main Button to open.

MANUAL MODE OPERATION STEPS:

1. OPEN: When the light is solid green press the Main Button to open the lid.

To continue, follow steps **2. LOAD**, **3. SEAL + CUT** from the Hands-Free Operation section on the previous page.

FLEXIBLE SEAL + CUT OPTIONS

Designed for real routines! Add diapers throughout the day for lighter changes, or seal + cut whenever odor control matters most.

AUTOMATIC LID CLOSURE: If the Main Button is NOT pressed, the lid closes after 30 seconds without sealing or cutting (Options 1 & 2). To seal + cut, press the Main Button (Option 3).



LIGHT CHANGE
No Seal
Add one & go



MULTIPLE ADD
No Seal
Keep adding



ODOR CONTROL
Seal + Cut
Empty when ready

EMPTYING THE BIN



To open, reach under the lip and pull out.



Remove drawer to empty.



Close drawer securely.



Bin not fully in place.

Before emptying the bin, make sure the unit has completed its cycle before emptying. Light should be solid green ● . If opened mid-cycle the unit will stop for safety reasons.

1. Open the bin drawer from the front by reaching under the lip and pulling out towards you.
2. Remove the sealed bag(s) and dispose of them properly in the trash.
3. Close the front bin drawer securely and wait for solid green light ● to resume.

TROUBLESHOOTING

If the unit isn't working as expected, check the following:

LID OPENS INSTEAD OF SEALING
If the lid was closed by hand, the Main Button will reopen it. With the lid open, press the Main Button to SEAL + CUT. Do not close the lid by hand.

LID OR BIN ISSUE — SOLID RED LIGHT ●
- Check lid for obstructions.
- Make sure bin drawer is fully closed.

SEAL MECHANISM ISSUE — BLINKING RED LIGHT ●
- Clear obstructions from the seal/cut area.
- Push contents below the Seal Line.
- Check that bin isn't full or blocking the mechanism.

LONGER RESET TIME — PULSING WHITE LIGHT ●
The unit may need extra cooling time after consecutive Seal + Cut cycles. After six consecutive cycles, resetting may take up to 30 minutes. Wait for the solid green READY light ● before using again.

Still not working? Unplug the unit and plug it back in to reset.

PARIO DIAPERSEALER™ CARTRIDGE REPLACEMENT



Open the lid.



Press release clips together. (Left + Right)



Remove empty cartridge.



Push cartridge down into compartment.

Each **Pario DiaperSealer™ Cartridge** contains proprietary **OdorSealer Film™**—a multi-layer film designed to seal diapers individually, helping contain odor and germs at the source.

CAUTION:

- **Use only Pario DiaperSealer™ Cartridges for proper operation.**
- **Using other refills may cause malfunction, may void the warranty and could result in a damaged unit.**

REPLACING THE INSTALLED CARTRIDGE:

1. Wave your hand over the control panel to open the lid (Hands-Free Mode).
2. Locate the two white release clips inside the center of the installed cartridge—one on the left side and on the right. Press both clips inward at the same time to release.
3. Lift the empty cartridge up and out.
4. Insert a new Pario DiaperSealer™ Refill, push down until it clicks into place.
5. Allow the lid to close automatically. **Do not close the lid by hand.** Wait until the READY light is solid green before use.

RUNNING LOW ON PARIO DIAPERSEALER™ CARTRIDGES?
Scan QR code to order refills now!

PARIO®

PARIO, LLC | 1950 Greyhound Pass STE 18-274 | Carmel, IN 46033
877-PARIO12

www.diapersealer.com

WANT TO LEARN MORE?

Scan QR code or visit www.diapersealer.com

- Purchase Pario DiaperSealer™ Refills
- View updated instructions and tips.
- Access customer support and FAQs

BEFORE USING THIS PRODUCT: Review and save the Instruction Manual for future reference. Please call Pario at 877-PARIO12 (for US or Canada) with any questions or visit our website www.diapersealer.com. Made in China